

Ref. #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	choquier.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 11:01
S2	2	vaughn.xa. and sna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 11:05
S3	16	("4677588" "4837805" "5077655" "5396485" "5424724" "5440558" "5493607" "5528671" "5548729" "5568180" "5572724" "5583862" "5655073" "5748894" "5805816" "5815664").PN.	USPAT	OR	OFF	2003/12/10 11:02
S4	5	vaughn.xa. and connectionless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 11:06
S5	68	("4608688" "4649473" "4755928" "5021949" "5175837" "5206939" "5208665" "5218695" "5243595" "5255270" "5269011" "5276860" "5276867" "5335352" "5341493" "5367698" "5371532" "5371850" "5381539" "5408465" "5410343" "5414455" "5442390" "5442771" "5477263" "5508732" "5508733" "5528282" "5528513" "5530557" "5533021" "5534912" "5537408" "5539660" "5544313" "5544327" "5544345" "5544347" "5550577" "5553005" "5555265" "5555396" "5557317" "5557611" "5559949" "5572678" "5583561" "5586264" "5594910" "5603058" "5619650" "5619697" "5640596" "5710923" "5717745" "5745685" "5787300" "5796954" "5797005" "5799173" "5867562" "5893140" "5918018" "5933603" "5948062" "5966531" "5987611" "6009463").PN.	USPAT	OR	OFF	2003/12/10 11:05
S6	6	S5 and sna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/10 11:06

S7	4	((("5412697") or ("5436897"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:45
S8	4	"5436897".pn. or "5412697".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:37
S9	20	"5436897".uref. or "5412697".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 13:38
S10	22001	intel.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:46
S11	6236	levy.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:46
S12	367	mauritz.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:46
S13	46	S10 and (S11 or S12)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:52
S14	5	S13 and synchron\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:11
S15	13	(S11 and S12)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:56
S16	14	"5412697".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:11

S17	5	S14 and synchron\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:51
S18	10	S16 and synchron\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:21
S19	0	(continu\$3 near4 service near4 other near4 request\$1) same upgrad\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:23
S20	4	"6453468".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:25
S21	3	"6453468".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:25
S22	6	("4870575" "4974149" "5193178" "5815654" "6038517" "6314532"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 16:26
S23	216	stop\$3 near4 rout\$3 near4 (message\$1 or request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:27
S24	1	S23 and "717"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:28
S25	19368	during near4 (updat\$3 or upgrad\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:28
S26	161	"19" and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:28

S27	31	S25 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:30
S28	40	(redirect\$4 near4 request\$1) and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:31
S29	3	(redirect\$4 near4 request\$1) with upgrad\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:31
S30	14	(redirect\$4 near4 request\$1) same upgrad\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:33
S31	5478	ferguson.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:33
S32	25	S31 and ibm.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:33
S33	1621	717/168-169.ccls. or 717/17\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:34
S34	97	S33 and redirect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:34
S35	629	redirect\$4 near8 (upgrad\$3 or updat\$3 or installat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:34
S36	21	S35 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:36

S37	244	redirect\$4 same ((pluralit\$3 or cluster\$1) near4 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:37
S38	3	S37 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:37
S39	4	("5412697" "5590364" "5619541" "6008734").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 16:50
S40	1	("6008734").URPN.	USPAT	OR	OFF	2004/12/01 16:51
S41	2405	(synchron\$8 near4 (packet\$1 or frame\$1)) same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:07
S42	231	713/375.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:56
S43	234	710/61.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:57
S44	214	S42 and synchron\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:57
S45	3	S41 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:59
S46	8	S43 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:00
S47	40042	control adj3 (byte\$1 or bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:00

S48	24052	(falling or egress or ingress) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:01
S49	92	encod\$3 and S48 and S47 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:01
S50	1	S49 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:01
S51	40330	(falling or egress or ingress or rising) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:06
S52	517207	clock\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:07
S53	10000	(synchron\$8 near4 (packet\$1 or frame\$1)) and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:07
S54	860	(clock\$1 near4 (adjust\$3 or modif\$8)) and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:15
S55	7	S54 and (S42 or S43)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:09
S56	284	S54 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:09
S57	284	S56 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:09

S58	40	S57 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:10
S59	31	S58 and @ad<"20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:10
S60	41838	(falling or egress or ingress or rising) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:21
S61	77372	(command or control) near3 (bit\$1 or byte\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:13
S62	7413	S60 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:13
S63	4019	S62 and falling and rising	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:13
S64	2893	S63 and synchroniz\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:13
S65	3318	S62 and (falling same rising)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:14
S66	643	S62 and (falling same rising same synchroniz\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:14
S67	64	S61 same (falling same rising same synchroniz\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:14

S68	19137	(clock\$1 near4 (adjust\$3 or modif\$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:14
S69	136	S68 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:15
S70	11	S68 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:13
S71	219850	(exchang\$3 or transmit\$4 or forward\$3 or transmission or send\$3) near5 (frame\$1 or packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:18
S72	49	S71 and S68 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:19
S73	15	S72 and @ad<"20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:27
S74	51295	(falling or egress or ingress or rising or positive or negative) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:04
S75	78466	(multiphase or multi or multiple) with (phas\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:27
S76	46	S75 and S68 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 07:27
S77	14	S76 and @ad<"20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:05

S78	8684	709/230-238.ccls. or 709/246-248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:11
S79	8537	375/219-236.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:13
S80	25	S79 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:13
S81	2	S60 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:14
S82	11	S66 and S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:34
S83	21569	"710"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:35
S84	1042	S83 AND S60 AND S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:35
S85	40	S83 AND S74 AND S68 AND S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:36
S86	37	S85 AND SYNCHRONIZ\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:36
S87	23	S86 AND FRAME\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:37

S88	1265	710/309-310.CCLS. OR 710/105-106.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:40
S89	24108	"711"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:40
S90	10	S89 AND S74 AND S68 AND S75 AND SYNCHRONIZ\$9 AND FRAME\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:55
S91	21	"5436897".UREF. OR "5412697".UREF.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:55
S92	9	S91 AND S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:55
S93	11	("5619541").URPN.	USPAT	OR	OFF	2005/03/15 08:56
S94	0	(S91 OR S93) AND S68 AND S61	USPAT	OR	OFF	2005/03/15 08:57
S95	7	(S91 OR S93) AND S68	USPAT	OR	OFF	2005/03/15 08:57
S96	2	(S91 OR S93) AND S61	USPAT	OR	OFF	2005/03/15 08:57
S97	84	weinberg.inv. and track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:59
S98	135	categor\$3 and (monitor\$3 with (traffic or track\$3) with (web adj site\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:55
S99	0	S97 and S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:55
S100	6509	709/223-224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:55

S10 1	22	S100 and S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:56
S10 2	209194	total near3 number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:56
S10 3	230346	total near5 (hit\$1 or number\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:56
S10 4	32	S103 and S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 13:59
S10 5	7	weinberg.inv. and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:08
S10 6	2	"6480946".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:08
S10 7	1	S106 and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:09
S10 8	0	S106 and frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:09
S10 9	1	S106 and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:12
S11 0	1	S106 and bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:12

S11 1	185	data adj field adj bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:12
S11 2	18	S111 and (falling adj edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:14
S11 3	81191	(clock\$1 or phase\$1) near4 (adjust\$3 or modif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:15
S11 4	1	S113 and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 14:15
S11 5	51295	(falling or egress or ingress or rising or positive or negative) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:00
S11 6	130632	(command or control) near3 (bit\$1 or field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:05
S11 7	130789	(command or control or ctrl or cmd) near3 (bit\$1 or field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:05
S11 8	1176	S115 same S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:05
S11 9	474	S118 and frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:05
S12 0	153	S118 same frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:05

S12 1	114	S120 and @ad<"20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:07
S12 2	42012	(egress or ingress or rising or positive) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:06
S12 3	18855	S122 with (clock\$1 or timer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:07
S12 4	4574	S123 and S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:07
S12 5	117	S123 and S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:07
S12 6	84	S125 and @ad<"20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:15
S12 7	80	synchroniz\$9 and S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:13
S12 8	31945	(clock or tim\$3) near5 (synchroniz\$8 or adjust\$3 or modif\$9) near5 (frame\$1 or packet\$1 or phase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:13
S12 9	32489	(clock\$1 or tim\$3) near5 (synchroniz\$8 or adjust\$3 or modif\$9) near5 (frame\$1 or packet\$1 or phase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:00
S13 0	602	S129 same S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:14

S13 1	164	S130 and S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:14
S13 2	10	S130 same S117	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:14
S13 3	82	S131 and @ad<"20010101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:17
S13 4	42012	S122 and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:17
S13 5	82	S133 and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:48
S13 6	69742	(SYNC\$12 NEAR3 (BIT\$1 OR BYTE\$1 OR FRAME\$1 OR PACKET\$1)) OR (START ADJ BIT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:00
S13 7	3447	713/400-401.CCLS. OR 713/500-502. CCLS. OR 713/600-601.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:59
S13 8	526	S137 AND S136	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:52
S13 9	237	S138 AND S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:52
S14 0	508	710/60-61.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 13:52

S14 1	13	S140 AND S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:54
S14 2	766	BUS ADJ SPECIFICATION AND IEEE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:55
S14 3	766	(BUS ADJ SPECIFICATION) AND IEEE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:55
S14 4	279	S143 AND "1394"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:55
S14 5	106	S144 AND "710"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:58
S14 6	4736	ISOCHRONOUS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:58
S14 7	3447	713/400-401.CCLS. OR 713/500-502. CCLS. OR 713/600-601.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:59
S14 8	6	S147 AND S144	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:00
S14 9	69742	(SYNC\$12 NEAR3 (BIT\$1 OR BYTE\$1 OR FRAME\$1 OR PACKET\$1)) OR (START ADJ BIT)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:00
S15 0	32489	(clock\$1 or tim\$3) near5 (synchroniz\$8 or adjust\$3 or modif\$9) near5 (frame\$1 or packet\$1 or phase\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:00

S15 1	51295	(falling or egress or ingress or rising or positive or negative) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:04
S15 2	73	S151 AND S150 AND S149 AND S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:02
S15 3	8	S152 AND S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:02
S15 4	30403	(falling or negative) adj3 edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:04
S15 5	49	S154 AND S152	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:05
S15 6	37	S155 AND @AD<"20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:08
S15 7	37	S156 AND (CONTROL OR COMMAND OR CTRL OR CMD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:15
S15 8	209	S147 AND INTEL.ASN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:16
S15 9	85	S158 AND S151	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:16
S16 0	54	S159 AND S154	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:16

S16 1	8	S149 AND S160	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 15:16
S16 2	14	("4878233" "5163069" "5256994" "5887039" "5909563" "5919254" "6112307" "6188255" "6269136" "6336159" "6393502" "6505149" "6539444" "6584575").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 15:17
S16 3	7	S162 AND S154	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 15:18